

# Sil-Fact

### Organosilicone Surfactant

#### **ACTIVE INGREDIENTS:**

Ingredients exempt from tolerance under 40 CFR 180.1001 (c).

## CAUTION

See Precautionary Statements Below SHAKE WELL BEFORE USING

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**CAUTION:** Avoid contact with eyes. Harmful if swallowed. Avoid skin contact. Causes eye and skin irritation. In case of contact, wash the affected areas with water immediately and continue washing for fifteen minutes. Call a doctor if irritation persists.

#### **GENERAL INFORMATION**

SIL-FACT is a proprietary blend of organosilicone and non-ionic wetting agent. It is especially effective in post-emergent, non-selective herbicide sprays.

This product is also recommended for use with other pesticides and/ or fertilizer products, including those used to desiccate or defoliate. Applications should be made to ensure thorough coverage without excessive runoff of the application spray. Continue agitation and add this product and mix for 1 to 2 minutes with lower than normal agitation. Continue filling tank, maintaining minimal agitation.

Spray mixes containing this product should be applied within 36 hours after mixing.

MIXING DIRECTIONS	
Application	Fluid ounces per 100 gallons
Acaricides, Fungicides, Insecticides	6 to 16
Brush and Woody Species, Herbicides	16 to 64
Defoliants, Desiccants, Herbicides	12 to 64
Foliar Nutrients	10 to 32
General Wetting/Spreading	6 to 12
Plant Growth Regulators	10 to 32
Soil Wetting	12 to 32
Turf and Lawns	6 to 12

Crop and rate guidelines are for use with pesticides whose labels recommend the use of a non-ionic surfactant. Some pesticides may require higher or lower surfactant rates for optimum effect. Follow the pesticide label directions when this occurs. Before mixing this product with the pesticide of choice, it is recommended that a compatibility test be done in a small (1 quart) container to determine if the components of the spray tank are compatible.

#### **DIRECTIONS FOR USE**

This product may be applied to Alfalfa, Corn, Cotton, Oats, Peanuts, Rice, Sorghum, Soybeans, Sugarcane, Wheat, Turf and Non-crop areas.

Add % the amount of water to the spray tank and begin agitation. If foaming is anticipated, the addition of an anti-foaming agent should be added before pesticides, nutrients or this product.

Add pesticides and/or fertilizers as directed by label or in the following sequence:

- 1) Micronutrients and fertilizers
- 2) Dry flowables and dispersible granules
- 3) Flowables
- 4) Water-soluble concentrates
- 5) Emulsifiable concentrates

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **PRODUCT DISPOSAL:** Follow all governmental requirements for the disposal of pesticide spray solutions.

**CONTAINER DISPOSAL:** Triple rinse container. Empty rinsate into spray tank. Dispose of empty container according to approved Local practices. Contact County Agricultural Commissioner for disposal information

#### WARRANTY — CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks os use, storage and handling of this material not in strict accordance with the directions given herewith. In no case shall Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Manufacturer and is accepted as such by the Buyer.



Net Contents: 1 gal (3.785 l) Net Weight: 10.1 lb (4.6 kg)