

2022 School Facilities Inventory Report

Facility Name: **CALEDONIA CENTRAL SU | BARNET ELEMENTARY SCHOOL | 163 KID ROW, BARNET 5821 - Combination - Main Building**

March 29, 2022


Total Value of Assets (Does Not Include Site/Structure/Walls/Interiors) **\$2,926,150**



GPS: 44.30753149798433, -72.08063950784462




Site Plan - Google Earth




Location Plan - Google Maps

Relative Asset Values




Value of Assets/GSF **\$83.60**

Projected Capital Planning Cash Flow



Facility Condition Index (FCI) Compared to Portfolio



(See Last Page for Explanation of Terms)

2022 School Facilities Inventory Report

Facility Name: **CALEDONIA CENTRAL SU | BARNET ELEMENTARY SCHOOL | 163 KID ROW,
BARNET 5821 - Combination - Main Building**

Respondent Information

Date/Time Completed **2022-02-01 - 1:18 PM**
 Respondent Name **Michael Bigelow**
 Respondent Title **Director of Facilities**
 Respondent Email **mike.bigelow@ccsuvt.net**
 Respondent Phone Number **(802) 633 4978**

Facility Information


School Type **Combination**
 Building Identification **Main Building**
 Stories **1**
 Building Area **35000 (Gross Square Footage - GSF)**
 Year Constructed **1989**
 Year of Last Major Renovation **2015**
 FCI (Depleted Value) **59.9%**

Environmental & Safety Issues


Hazardous Materials **No**
 Hazardous (HZD) Materials include -
 HZD Issues are -
 HZD Issues include -

Indoor Air Quality (IAQ) Issues **No**
 IAQ Issues include -
 IAQ Issues are -
 IAQ Issues include -


Fire or Life/Safety (FL/S) Issues **No**
 FL/S Issues are -

Other Risk Factors **Maybe** 
 Other Risk Factors include **n/a**
 Other Risk Factors are **n/a**

Handicap Accessibility (ADA) Issues

Handicap Accessibility (ADA) Issues **Maybe** 
 ADA Issues are **Major**
 ADA Issues include **the schools side walk is degerating along with the curbing. This could cause tripping or slipping hazard also make it hard to keep side walk clean of ice and snow**

Utilities - Adequacy

IT / Internet Service **Adequate**
 Building Wi-Fi Coverage **Adequate**
 Cellular Reception **Marginal** 
 Water Service Pressure **Adequate**
 Natural Gas/Propane Pressure **Adequate**
 Electrical Capacity **Adequate**

2022 School Facilities Inventory Report

Facility Name: **CALEDONIA CENTRAL SU | BARNET ELEMENTARY SCHOOL | 163 KID ROW,
BARNET 5821 - Combination - Main Building**

Building Envelope - Roof

Roof 1 is Metal	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Covers 100%	40	33	\$13.00 / SF	35,000	SF	\$455,000
Installed in 2015						
Roof 2 is -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Covers 0%	-	N/A	- / -	-	-	\$0
Installed in -						
Roof 3 is -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Covers 0%	-	N/A	- / -	-	-	\$0
Installed in -						
Roof 4 is -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Covers 0%	-	N/A	- / -	-	-	\$0
Installed in -						

Building Envelope - Windows

Primary Window System Window, Wood-Frame	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
% of Windows That are this Type 100%	30	-3	\$70.00 / SF	8,400	SF	\$588,000
Installed in 1989						
Secondary Window System -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
% of Windows That are this Type 0%	-	N/A	- / -	-	-	\$0
Installed in -						

Services - Elevators

Primary Conveyance/Elevators Wheelchair Lift	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Quantity of Stops 1	25	-8	\$17,000.00 / EA	1	EA	\$17,000
Installed in 1989						
Secondary Conveyance/Elevators -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Quantity of Stops 0	-	N/A	- / -	0	-	\$0
Installed in -						

Services - Plumbing

Primary Plumbing System Supply & Sanitary, Low Density (Includes Fixtures)	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Area of building served 100%	40	7	\$7.00 / GSF	35,000	GSF	\$245,000
Installed in 1989						
Secondary Plumbing System -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Area of building served 0%	-	N/A	- / -	-	-	\$0
Installed in -						

Services - Cooling - Central System

Primary Central Cooling System None	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Area of building served 0%	-	N/A	- / -	-	-	\$0
Installed in -						
Secondary Plumbing System -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Area of building served 0%	-	N/A	- / -	-	-	\$0
Installed in -						

Services - Heating - Central System

Primary Heating System Boiler(s)/System - Fuel Oil	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Area of building served 100%	30	-3	\$60.00 / MBH	1,000	MBH	\$60,000
Installed in 1989						
Secondary Heating System -	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
Area of building served 0%	-	N/A	- / -	-	-	\$0
Installed in -						

2022 School Facilities Inventory Report

Facility Name: **CALEDONIA CENTRAL SU | BARNET ELEMENTARY SCHOOL | 163 KID ROW,
BARNET 5821 - Combination - Main Building**

Services - HVAC Distribution

Primary HVAC Distribution System **Forced Air System (AHUs, Ductwork, VAVs), 2-Pipe System**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	1989	30	-3	\$18.00 / GSF	for	35,000	GSF	= \$630,000



Secondary HVAC Distribution System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Package Systems

Primary HVAC Package Unit & Splits **None**

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Secondary HVAC Package Unit & Splits -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Fire Suppression

Primary Fire Suppression System **Kitchen Hood or Computer Center Suppression System**

Area of building served	1 EA	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	1990	20	-12	\$10,000.00 / EA	for	1	EA	= \$10,000



Secondary Fire Suppression System **Sprinkler System, Medium Density/Complexity**

Area of building served	5%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	1989	40	7	\$5.00 / GSF	for	1,750	GSF	= \$8,750

Services - Fire Alarm System

Primary Fire Suppression System **Modern Addressable Fire Alarm System**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2021	20	19	\$3.00 / SF	for	35,000	SF	= \$105,000

Secondary Fire Suppression System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Security Systems

Primary Security & Low Volt System **None**

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Secondary Security & Low Volt System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Electrical Distribution/Infrastructure

Electrical Distribution/Infrastructure **Main Distribution Panel w/Sub Panels and Generator/UPS - Medium Density**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2015	40	33	\$22.00 / GSF	for	35,000	GSF	= \$770,000

Services - Solar Power (PV)

Solar (Electric Generation) Provided **None**

Owned/Maintained by School -

Quantity of Panels 0

Installed in -

Value of Solar PV Panels: -

EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
-	N/A	- / -	for	-	-	= \$0

Ancillary Structures

Ancillary Structures **Relocatable Building - Classroom/Office - Basic/Portable**

Total SF of Ancillary Structures	240	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2015	15	8	\$110.00 / SF	for	240	SF	= \$26,400

Secondary Ancillary Structures **Relocatable Building - Classroom/Office - Basic/Portable**

Total SF of Secondary Ancillary Structures	100	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2015	15	8	\$110.00 / SF	for	100	SF	= \$11,000

Additional Comments

2022 School Facilities Inventory Report

Facility Name: **CALEDONIA CENTRAL SU | BARNET ELEMENTARY SCHOOL | 163 KID ROW,
BARNET 5821 - Combination - Main Building**

Explanation of Terms

Projected Capital Planning Cash Flow	The estimated replacement costs of systems as they expire annually.
Facility Condition Index (FCI)	The cost -weighted depleted value of the building compared to the total value of all its systems; overall percent of building useful life consumed by years in service.
Total Value of Assets	The total estimated replacement cost of all the assets listed in the form.
Value of Assets per GSF	The Total Value of all Assets in the form divide by the Gross Square Footage (GSF) of the building.
Facility Condition Index (FCI) Compared to Portfolio	The Facility Condition Index (FCI) of the building overlayed on the chart of FCI's for all buildings in the portfolio. Indicated by a red line in the chart.
Calculated Remaining Useful Life(C-RUL)	The current number of remaining years a system may be expected to perform in designed service.
Expected Useful Life (EUL)	The total number of years a system can be expected to perform in designed service when new.
Gross Square Footage (GSF)	The total square footage contained within the building for all floors/levels.
Cost per Unit	The estimated base cost for a single unit of a system. When multiplied by Quantity results in the total system cost.
Quantity	The amount of a system present in a building. When multiplied by the Cost per Unit results in the total system cost.
Units	The expressed unit of measure for a given system (GSF, EACH, TON, etc).
Ancillary Structures	Buildings on site that are typically known as portables, relocatables or temporary buildings.