

2022 School Facilities Inventory Report

Facility Name: **HARTFORD SD | WHITE RIVER SCHOOL | 102 PINE STREET, WHITE RIVER JCT 5001**
- Combination (PreK thru 5) - Main Building


March 29, 2022

Total Value of Assets (Does Not Include Site/Structure/Walls/Interiors) **\$3,861,808**



GPS: 43.65332789682228, -72.31785191606825

Relative Asset Values





Value of Assets/GSF **\$85.53**




Site Plan - Google Earth

Projected Capital Planning Cash Flow



Location Plan - Google Maps

Facility Condition Index (FCI) Compared to Portfolio



(See Last Page for Explanation of Terms)

2022 School Facilities Inventory Report

Facility Name: **HARTFORD SD | WHITE RIVER SCHOOL | 102 PINE STREET, WHITE RIVER JCT 5001
- Combination (PreK thru 5) - Main Building**

Respondent Information

Date/Time Completed **2022-01-19 - 2:42 PM**
 Respondent Name **JONathan Garthwaite**
 Respondent Title **Director of Buildings and Grounds**
 Respondent Email **garthwaitej@hartfordschools.net**
 Respondent Phone Number **(802) 359-4610**

Facility Information

School Type **Combination (PreK thru 5)**
 Building Identification **Main Building**
 Stories **4**
 Building Area **45150 (Gross Square Footage - GSF)**
 Year Constructed **1936**
 Year of Last Major Renovation **2012**
 FCI (Depleted Value) **28.4%**

Environmental & Safety Issues

Hazardous Materials **Yes** ⚠
 Hazardous (HZD) Materials include **Asbestos containing materials (ACM), Lead paint**
 HZD Issues are **Major**
 HZD Issues include **Suspect materials from construction.**

Indoor Air Quality (IAQ) Issues **No**
 IAQ Issues include -
 IAQ Issues are -
 IAQ Issues include -

Fire or Life/Safety (FL/S) Issues **No**
 FL/S Issues are -

Other Risk Factors **No**
 Other Risk Factors include -
 Other Risk Factors are -

Handicap Accessibility (ADA) Issues

Handicap Accessibility (ADA) Issues **No**
 ADA Issues are **N/A**
 ADA Issues include **N/A**

Utilities - Adequacy

IT / Internet Service **Adequate**
 Building Wi-Fi Coverage **Adequate**
 Cellular Reception **Adequate**
 Water Service Pressure **Adequate**
 Natural Gas/Propane Pressure **Adequate**
 Electrical Capacity **Adequate**

2022 School Facilities Inventory Report

Facility Name: **HARTFORD SD | WHITE RIVER SCHOOL | 102 PINE STREET, WHITE RIVER JCT 5001**
- Combination (PreK thru 5) - Main Building

Building Envelope - Roof

Roof 1 is **Asphalt Shingle**

Covers	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
80%	30	20	\$5.50 / SF	9,030	SF	\$49,665
Installed in 2012						

Roof 2 is **Single-Ply EPDM/TPO/PVC Membrane**

Covers	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
20%	20	10	\$11.00 / SF	2,258	SF	\$24,833
Installed in 2012						

Roof 3 is -

Covers	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

Roof 4 is -

Covers	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

Building Envelope - Windows

Primary Window System **Window, Metal-Frame**

% of Windows That are this Type	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
100%	30	20	\$60.00 / SF	10,836	SF	\$650,160
Installed in 2012						

Secondary Window System -

% of Windows That are this Type	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

Services - Elevators

Primary Conveyance/Elevators **Elevator, Hydraulic, Machine/Controller/Cab**

Quantity of Stops	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
5	30	20	\$25,000.00 / STOP	5	STOP	\$125,000
Installed in 2012						

Secondary Conveyance/Elevators -

Quantity of Stops	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0	-	N/A	- / -	0	-	\$0
Installed in -						

Services - Plumbing

Primary Plumbing System **Supply & Sanitary, Medium Density (Includes Fixtures)**

Area of building served	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
100%	40	30	\$15.00 / GSF	45,150	GSF	\$677,250
Installed in 2012						

Secondary Plumbing System -

Area of building served	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

Services - Cooling - Central System

Primary Central Cooling System **None**

Area of building served	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

Secondary Plumbing System -

Area of building served	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

Services - Heating - Central System

Primary Heating System **Boiler(s)/System - Fuel Oil**

Area of building served	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
100%	30	22	\$60.00 / MBH	1,290	MBH	\$77,400
Installed in 2014						

Secondary Heating System -

Area of building served	EUL	C-RUL	Cost / Unit	Quantity	Units	Total Value
0%	-	N/A	- / -	-	-	\$0
Installed in -						

2022 School Facilities Inventory Report

Facility Name: **HARTFORD SD | WHITE RIVER SCHOOL | 102 PINE STREET, WHITE RIVER JCT 5001
- Combination (PreK thru 5) - Main Building**

Services - HVAC Distribution

Primary HVAC Distribution System **Forced Air System (AHUs, Ductwork, VAVs), 2-Pipe System**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2014	30	22	\$18.00 / GSF	for	45,150	GSF	= \$812,700

Secondary HVAC Distribution System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Package Systems

Primary HVAC Package Unit & Splits **None**

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Secondary HVAC Package Unit & Splits -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Fire Suppression

Primary Fire Suppression System **Sprinkler System, Medium Density/Complexity**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2012	40	30	\$5.00 / GSF	for	45,150	GSF	= \$225,750

Secondary Fire Suppression System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Fire Alarm System

Primary Fire Suppression System **Modern Addressable Fire Alarm System**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2014	20	12	\$3.00 / SF	for	45,150	SF	= \$135,450

Secondary Fire Suppression System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Security Systems

Primary Security & Low Volt System **Security & Low Voltage Systems - Average**

Area of building served	50%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2015	15	8	\$4.00 / GSF	for	22,575	GSF	= \$90,300

Secondary Security & Low Volt System -

Area of building served	0%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	-	-	N/A	- / -	for	-	-	= \$0

Services - Electrical Distribution/Infrastructure

Electrical Distribution/Infrastructure **Main Distribution Panel w/Sub Panels and Generator/UPS - Medium Density**

Area of building served	100%	EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
Installed in	2012	40	30	\$22.00 / GSF	for	45,150	GSF	= \$993,300

Services - Solar Power (PV)

Solar (Electric Generation) Provided **None**

Owned/Maintained by School -

Quantity of Panels 0

Installed in -

Value of Solar PV Panels: -

EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
-	N/A	- / -	for	-	-	= \$0

Ancillary Structures

Ancillary Structures **None**

Total SF of Ancillary Structures -

Installed in -

EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
-	N/A	- / -	for	-	-	= \$0

Secondary Ancillary Structures -

Total SF of Secondary Ancillary Structures 0

Installed in -

EUL	C-RUL	Cost / Unit		Quantity	Units	Total Value
-	N/A	- / -	for	-	-	= \$0

Additional Comments

2022 School Facilities Inventory Report

Facility Name: **HARTFORD SD | WHITE RIVER SCHOOL | 102 PINE STREET, WHITE RIVER JCT 5001
- Combination (PreK thru 5) - Main Building**

Explanation of Terms

Projected Capital Planning Cash Flow	The estimated replacement costs of systems as they expire annually.
Facility Condition Index (FCI)	The cost -weighted depleted value of the building compared to the total value of all its systems; overall percent of building useful life consumed by years in service.
Total Value of Assets	The total estimated replacement cost of all the assets listed in the form.
Value of Assets per GSF	The Total Value of all Assets in the form divide by the Gross Square Footage (GSF) of the building.
Facility Condition Index (FCI) Compared to Portfolio	The Facility Condition Index (FCI) of the building overlayed on the chart of FCI's for all buildings in the portfolio. Indicated by a red line in the chart.
Calculated Remaining Useful Life(C-RUL)	The current number of remaining years a system may be expected to perform in designed service.
Expected Useful Life (EUL)	The total number of years a system can be expected to perform in designed service when new.
Gross Square Footage (GSF)	The total square footage contained within the building for all floors/levels.
Cost per Unit	The estimated base cost for a single unit of a system. When multiplied by Quantity results in the total system cost.
Quantity	The amount of a system present in a building. When multiplied by the Cost per Unit results in the total system cost.
Units	The expressed unit of measure for a given system (GSF, EACH, TON, etc).
Ancillary Structures	Buildings on site that are typically known as portables, relocatables or temporary buildings.