

ALUMINUM COATED STEEL RECTANGULAR MESH OR GALVANIZED WOVEN RECTANGULAR MESH FENCE WITH NOT LESS THAN 9 HORIZONTAL BARS.





TOP AND BOTTOM BARS TO BE NOT LESS THAN NO. 9 GAUGE. INTERMEDIATE BARS NOT LESS THAN NO. 11 GAUGE. VERTICAL STAY BARS NOT GREATER THAN 6" APART AND NOT LESS THAN NO. 11 GAUGE.

ALL POSTS AND TIMBER BRACES SHALL BE GIVEN A PRESERVATIVE TREATMENT AS PER SUB-SECTION 726.01 EXCEPTING WESTERN RED CEDAR.

ALL END POSTS SHALL HAVE ONE BRACE, ALL CORNER AND INTERMEDIATE BRACE OR PULL POSTS SHALL HAVE TWO BRACES, WITH A MAXIMUM SPACING BETWEEN BRACES OF 600 FEET.

WHEN EXPOSED ROCK IS ENCOUNTERED THE FENCE SHALL BE ATTACHED TO STEEL POSTS SET AS DESCRIBED UNDER SUBSECTION 620.04.

POSTS TO HAVE A MINIMUM OF 4 1/2" DIAMETER.




ALUMINUM COATED STEEL RECTANGULAR MESH OR GALVANIZED WOVEN RECTANGULAR MESH FENCE WITH NOT LESS THAN 9 HORIZONTAL BARS.

TOP AND BOTTOM BARS TO BE NOT LESS THAN NO. 9 GAUGE. INTERMEDIATE BARS NOT LESS THAN NO. 11 GAUGE. VERTICAL STAY BARS NOT GREATER THAN 6" APART AND NOT LESS THAN NO. 11 GAUGE.

ALL END POSTS SHALL HAVE ONE BRACE; ALL CORNER AND INTERMEDIATE BRACE OR PULL POSTS SHALL HAVE TWO BRACES, WITH A MAXIMUM SPACING BETWEEN BRACES OF 600 FEET.

LINE POSTS TO HAVE ANCHOR PLATES. CONCRETE TO BE INCLUDED IN BID PRICE FOR WOVEN WIRE FENCE.






CONCRETE BASE, OR METAL BRACE PLATES MEETING APPROVAL OF ENGINEER.

CONCRETE TO BE INCLUDED IN BID PRICE FOR WOVEN WIRE FENCE.

ANCHOR PLATES TO BE OMITTED IN LEDGE ROCK

IN AREAS WHERE LEDGE ROCK IS ENCOUNTERED STEEL POSTS WILL BE SET AND GROUTED 12" DEEP IN THE LEDGE, UNLESS THE POSTS PENETRATE THE GROUND 3'.

WOVEN WIRE FENCE CORNER WITH STEEL POSTS



REVISIONS AND CORRECTIONS

DEC. 8, 1971- ORIGINAL APPROVAL DATE

JULY 21, 1976- GATE SUBSTITUTION NOTE ADDED

DEC. 10, 1976- DIMENSIONS FOR STEEL POSTS AND BRACES ADDED

JUNE 1, 1994 - REISSUED, WITHOUT CHANGE, UNDER NEW SIGNATURES.

APPROVED

APPROVED FOR THIS PROJECT AND/OR DESIGN IMPLEMENTATION. FHWA FINAL APPROVAL PENDING.

*Stephen D. MacArthur, P.E.*  
DIRECTOR OF ENGINEERING

*John M. Mungley, P.E.*  
DESIGN ENGINEER

WOVEN WIRE FENCE WITH WOOD POSTS

WOVEN WIRE FENCE WITH STEEL POSTS

WOOD BRACE FOR WOVEN WIRE FENCE

STEEL BRACE FOR WOVEN WIRE FENCE

DRIVE GATE FOR WOVEN WIRE FENCE

WALK GATE FOR WOVEN WIRE FENCE

