

CORING CONCRETE

****From Bethel-Randolph STP 2921(1)**

- xx. DESCRIPTION. This work shall consist of coring into an existing concrete drainage structure and mortaring new underdrain placed in the concrete drainage structure at the locations indicated in the Plans and as directed by the Engineer.
- xx. MATERIALS. Mortar shall meet the requirements of Subsection 707.03.
- xx. CONSTRUCTION REQUIREMENTS. The existing concrete drainage structure shall be cored to allow the new underdrain to extend into the concrete drainage structure. The new underdrain shall be mortared in place, filling any voids between the pipe and the drainage structure.
- xx. METHOD OF MEASUREMENT. The quantity of Special Provision (Coring Concrete) to be measured for payment will be the number of each location cored in the complete and accepted work.
- xx. BASIS OF PAYMENT. The accepted quantity of Special Provision (Coring Concrete) will be paid for at the Contract unit price per each. Payment will be full compensation for coring the existing concrete drainage structure, for mortaring new underdrain in place, and for furnishing all labor, materials, tools, equipment, and incidentals necessary to complete the work.

New underdrain will be paid under the appropriate Contract item(s).

Payment will be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
900.620 Special Provision (Coring Concrete)	Each