

STAINLESS STEEL TRAFFIC MIRROR

**\*\*From Bethel BRF 022-1(14)**

xx. DESCRIPTION. This work shall consist of furnishing and installing traffic mirror(s) at the location(s) indicated in the Plans and as directed by the Engineer.

xx. MATERIALS.

(a) General. Stainless Steel Traffic Mirror shall consist of a convex, polished, stainless steel surface attached to a galvanized or stainless steel back.

(b) Shape Requirements. Either a rectangular or a circular mirror is acceptable. The minimum radius of a round mirror shall be 30 inches. The minimum size of a rectangular mirror shall be 20 inches by 30 inches.

(c) Manufacturers. The following manufacturers are capable of supplying a traffic mirror that meets the requirements for this project:

Gordon Glass Co.  
5116 Warrensville Center Rd  
Cleveland, OH 44137

Traffic Mirrors Online  
28 Wareham Lake Shore Drive  
East Wareham, MA 02538

Reflection Products, Inc.  
2304 Spring Ridge Dr., Unit D  
Spring Grove, IL 60081

xx. METHOD OF MEASUREMENT. The quantity of Special Provision (Stainless Steel Traffic Mirror) to be measured for payment will be the number of each mirror installed in the complete and accepted work.

xx. BASIS OF PAYMENT. The accepted quantity of Special Provision (Stainless Steel Traffic Mirror) will be paid for at the Contract unit price for each. Payment will be full compensation for furnishing, transporting, handling, and installing the materials specified, including associated hardware, and for furnishing all labor, tools, equipment, and incidentals necessary to complete the work.

Payment for traffic mirror post will be made separately under Contract item 675.32.

Payment will be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
900.620 Special Provision (Stainless Steel Traffic Mirror)	Each