

# MONOKO, LLC

1037 Peninsula Avenue  
Tarpon Springs, FL 34689-2125  
E-mail Address: [MonokoLLC@aol.com](mailto:MonokoLLC@aol.com)

(727) 940-3244  
(727) 279-8795 Fax

**Submittal No.:** 20, Color Coupon, Federal Standard 20059

**Date:** April 12, 2015

**Vermont Department of Transportation**  
Northeast Regional Construction Office  
Attn: Mr. Ron Gray  
347 Emerson Falls Road, Suite 5  
St. Johnsbury, VT 05819  
(Phone) (802) 751-3295; (Cell) (802) 793-3161  
(Fax) (802) 751-3297; [Ron.Gray@state.vt.us](mailto:Ron.Gray@state.vt.us)

**Description:** Proposal/Contract Number: Bradford-Newbury IM BPNT (14)  
Letting Date: 10/10/14; Award Date: 11/03/14  
Project Description: Bridge Painting of Five Bridges  
In the Towns of Bradford & Newbury, VT  
Contract Amount: \$4,327,785.00; Completion Date: 08/26/16

**Contractor:** MONOKO, LLC

**Reviewed & Approved By:** *Keri Monokandilos*  
Keri Monokandilos, Manager

**Date:** 04/12/2015

**Engineer:** Peter Hodgson, Resident Engineer  
347 Emerson Falls Road, Suite 5  
St. Johnsbury, VT 05819  
802-748-2447; 802-793-1878 cell  
[pete.hodgson@state.vt.us](mailto:pete.hodgson@state.vt.us)  
[Mark.Sargent@state.vt.us](mailto:Mark.Sargent@state.vt.us)

**Revision:**

- (l) Printed copies of all applicable ASTM and SSPC Standards used for the work.
- (m) SSPC *Manual of Good Painting Practice*.

SECTION 708 - PAINTS, STAINS, AND TRAFFIC MARKING MATERIALS

21. 708.03 APPROVED STRUCTURAL COATING SYSTEMS, is hereby modified by deleting the color chip table (include table header) in its entirety and replacing it with the following paragraphs:

The Contractor shall select one of the approved systems listed under the appropriate category for application and as specified in the Contract. However, components from one system may not be intermixed with components from another system.

Colors shall conform to Federal Standard No. 595:

<u>COLOR</u>	<u>COLOR CHIP NO.</u>	<u>APPLICATION</u> (unless otherwise specified)
Green	14062	Steel Truss Bridges
Black	27038	
Brown	20059	Steel Girder/Beam Bridges

- (a) Epoxy Penetrating Sealer. Epoxy penetrating sealer shall be a cross-linked multi-component sealer having the following properties:
  - (1) Volume of solids 98% (± 2%)
  - (2) Clear or slightly tinted color
- (b) Moisture Cured Penetrating Sealer. A Type A Certification shall be furnished in accordance with Subsection 700.02. The certification shall include a statement from the manufacturer that the sealer is compatible with the paint system being used.

22. 708.04 GREASE RUSTPROOFING COMPOUND, is hereby modified by deleting the first row in the listing below the first paragraph (beginning "Appearance (Color)") in its entirety and replacing it with the following:

Color:           Brown (Steel Girder/Beam Bridges unless otherwise specified)  
                   Green (Steel Truss Bridges unless otherwise specified)