




A BEARING SECTION
 F2 3/4" = 1'-0"




B SHEAR KEY SECTION @ P.T. SLEEVE
 F2 1 1/2" = 1'-0"




PLAN @ BEAM C




PLAN OF POCKET



SECTION @ BEAM C
 DETAIL - "A"
 2" = 1'-0"



FASCIA ELEVATION
SECTION AT CENTERLINE
 DETAIL - "B"
 1 1/2" = 1'-0"




LIFTING SHACKLE DETAILS
 N.T.S.


Vermont Agency of Transportation
RECEIVED
 CK'D BY MJC OK'D BY TAS
 April 24, 2014
 RESUBMIT No Approved AsNoted
 BY M. J. Chenette DATE 04/29/2014

| SHOP DRAWING REVIEW | |
|--|---|
| <input type="checkbox"/> REVIEWED AS REQUIRED BY THE CONSTRUCTION CONTRACT DOCUMENTS AND APPROVED, BUT ONLY FOR CONFORMANCE TO THE DESIGN CONCEPT OF THE WORK, AND SUBJECT TO FURTHER LIMITATIONS AND REQUIREMENTS CONTAINED IN THE CONSTRUCTION CONTRACT DOCUMENTS. | <input type="checkbox"/> REJECT |
| <input type="checkbox"/> CORRECTIONS OR COMMENTS MADE ON THE SHOP DRAWINGS DURING THIS REVIEW DO NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. THIS CHECK IS ONLY FOR REVIEW OF GENERAL CONFORMANCE WITH THE DESIGN CONCEPT OF THE PROJECT AND GENERAL COMPLIANCE WITH THE INFORMATION GIVEN IN THE CONTRACT DOCUMENTS. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING AND CORRELATING ALL QUANTITIES AND DIMENSIONS, SELECTING FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION, COORDINATING HIS WORK WITH THAT OF ALL OTHER TRADES, AND PERFORMING HIS WORK IN A SAFE AND SATISFACTORY MANNER. | <input type="checkbox"/> REVISE AND RESUBMIT <input checked="" type="checkbox"/> FURNISH AS CORRECTED |
| VTHB Vanasse Hangen Brustlin, Inc. 7056 US Route 7 North Ferrisburgh, VT 05473 802.425.7788 | Job Number: 57528.00 Reviewed By: E.A. FIALA Date: 04/28/2014 |

| | | |
|-----------------|---|---|
| APPROVAL STAMP: | J.P. CARRARA & SONS INC. Precast & Prestress Manufacturer 244 OASE STR., MIDDLEBURY, VERMONT 05753 Phone: (802)388-6361 Fax: (802)388-9010 | RENAUD BRO., INC. CONTRACTOR VERNON, VERMONT |
| | STATE OF VERMONT AGENCY OF TRANSPORTATION COUNTY OF WINDHAM | DATE: MAR. 24, 2014 SCALE: NOTED |
| | TOWN OF BRATTLEBORO TH 12, CLASS III (LOCAL ROAD) OVER HALLADAY BROOK BRIDGE NO.: 7 PROJECT NO.: BRO 1442(35) | CHKD: M.D. DFTM: B.L. JOB NO: 23424-014 |
| | SUPERSTRUCTURE DETAILS | DWG. NO: F2 |



1 DIMENSIONAL PLAN VIEW IN FORM
1/4" = 1'-0"




2 DIMENSIONAL PLAN VIEW IN FORM
1/4" = 1'-0"

Vermont Agency of Transportation
RECEIVED

CK'D BY MJC OK'D BY TAS


April 24, 2014

RESUBMIT No Approved AsNoted
BY M. J. Chenette DATE 04/29/2014




3 REINFORCING PLAN VIEW IN FORM
1/4" = 1'-0"


SHOP NOTE:
ADJUST REINFORCING AS REQUIRED
TO CLEAR INSERTS, SLEEVES, ETC.




D END BLOCK REINFORCING PLAN
3/4" = 1'-0"




DETAIL - "A"
3" = 1'-0"



DETAIL - "B"
1 1/2" = 1'-0"



DETAIL - "C"
1 1/2" = 1'-0"



DETENSING SCHEDULE
N.T.

SHOP DRAWING REVIEW

REVIEWED AS REQUIRED BY THE CONSTRUCTION CONTRACT DOCUMENTS AND APPROVED, BUT ONLY FOR CONFORMANCE TO THE DESIGN CONCEPT OF THE WORK, AND SUBJECT TO FURTHER LIMITATIONS AND REQUIREMENTS CONTAINED IN THE CONSTRUCTION CONTRACT DOCUMENTS.

REJECTED REVISE AND RESUBMIT FURNISH AS CORRECTED

CORRECTIONS OR COMMENTS MADE ON THE SHOP DRAWINGS DURING THIS REVIEW DO NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. THIS CHECK IS ONLY FOR REVIEW OF GENERAL CONFORMANCE WITH THE DESIGN CONCEPT OF THE PROJECT AND GENERAL COMPLIANCE WITH THE INFORMATION GIVEN IN THE CONTRACT DOCUMENTS. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING AND CORRELATING ALL QUANTITIES AND DIMENSIONS, SELECTING FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION, COORDINATING HIS WORK WITH THAT OF ALL OTHER TRADES, AND PERFORMING HIS WORK IN A SAFE AND SATISFACTORY MANNER.

Vanasse Hangen Brustlin, Inc. Job Number: 57528.00
7056 US Route 7 North Ferrisburgh, VT 05473 Reviewed by: E.A. FIALA
802.425.7788 Date: 04/28/2014

4-24-14 REVISE REINFORCING

APPROVAL STAMP:

J.P. CARRARA & SONS INC.
Precast & Prestress Manufacturer
2644 CASE STR., MIDDLEBURY, VERMONT 05753 Phone:(802)388-6361 Fax:(802)388-9010


RENAUD BRO., INC.
CONTRACTOR
VERNON, VERMONT

STATE OF VERMONT AGENCY OF TRANSPORTATION
COUNTY OF WINDHAM


TOWN OF BRATTLEBORO
TH 12, CLASS III (LOCAL ROAD) OVER HALLADAY BROOK
BRIDGE NO.: 7 PROJECT NO.: BRO 1442(35)

DATE: MAR. 24, 2014
SCALE: NOTED
CHKD: M.D. DFTM: B.L.
JOB NO: 23424-014
DWG. NO: S1


| MATERIAL LIST / SOLID SLAB | | | | |
|----------------------------|--------|---|-----------|-------|
| ITEM | MARK | DESCRIPTION | QTY./SLAB | |
| | | | B-SS1 | B-SS2 |
| 1 | B-401D | #4 BENT BAR (LEVEL II, DUAL COATED) | 78 | 78 |
| 2 | B-402D | #4 BENT BAR (LEVEL II, DUAL COATED) | 78 | 78 |
| 3 | B-403D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 4 | B-404D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 5 | B-405D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 6 | B-406D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 7 | B-407D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 8 | B-408D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 9 | B-409D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 10 | B-410D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 11 | B-411D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 12 | B-412D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 13 | B-413D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 14 | B-414D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 15 | B-415D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 16 | B-416D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 17 | B-417D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 18 | B-418D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 19 | B-419D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 20 | B-420D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 21 | B-421D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 22 | B-422D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 23 | B-423D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 24 | B-424D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 25 | B-425D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 26 | B-426D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 | 2 |
| 27 | | | | |
| 28 | B-501D | #5 BENT BAR (LEVEL II, DUAL COATED) | 12 | 12 |
| 29 | B-502D | #5 BENT BAR (LEVEL II, DUAL COATED) | 6 | 6 |
| 30 | | | | |
| 31 | | | | |
| 32 | | SET OF DOUBLE 1/2" x 270 KSI STRAND LIFTING LOOPS | 4 | 4 |
| 33 | | | | |
| 34 | | | | |
| 35 | | | | |



A DIMENSIONAL SECTION
1" = 1'-0"




B REINFORCING SECTION
1" = 1'-0"




C END BLOCK REINF. SECTION
1" = 1'-0"

▲ DENOTES STRAIGHT STRANDS TO BE DEBONDED 10'-0" FROM EA. END OF EA. SLAB
◆ DENOTES STRAIGHT STRANDS TO BE DEBONDED 12'-0" FROM EA. END OF EA. SLAB
⊠ DENOTES STRAIGHT STRANDS TO BE DEBONDED 14'-0" FROM EA. END OF EA. SLAB



1 DIMENSIONAL PLAN VIEW IN FORM
S2 1/4" = 1'-0"



2 REINFORCING PLAN VIEW IN FORM
S2 1/4" = 1'-0"

SHOP NOTE:
ADJUST REINFORCING AS REQUIRED
TO CLEAR INSERTS, SLEEVES, ETC.

Vermont Agency of Transportation
RECEIVED
CK'D BY MJC OK'D BY TAS
April 24, 2014
RESUBMIT No Approved
BY M. J. Chenette DATE 04/29/2014

SHOP DRAWING REVIEW

REVIEWED AS REQUIRED BY THE CONSTRUCTION CONTRACT DOCUMENTS AND APPROVED, BUT ONLY FOR CONFORMANCE TO THE DESIGN CONCEPT OF THE WORK, AND SUBJECT TO FURTHER LIMITATIONS AND REQUIREMENTS CONTAINED IN THE CONSTRUCTION CONTRACT DOCUMENTS

REJECTED REVISE AND RESUBMIT FURNISH AS CORRECTED


CORRECTIONS OR COMMENTS MADE ON THE SHOP DRAWINGS DURING THIS REVIEW DO NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. THIS CHECK IS ONLY FOR REVIEW OF GENERAL CONFORMANCE WITH THE DESIGN CONCEPT OF THE PROJECT AND GENERAL COMPLIANCE WITH THE INFORMATION GIVEN IN THE CONTRACT DOCUMENTS. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING AND CORRECTING ALL QUANTITIES AND DIMENSIONS, SELECTING FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION, COORDINATING HIS WORK WITH THAT OF ALL OTHER TRADES, AND PERFORMING HIS WORK IN A SAFE AND SATISFACTORY MANNER.

Vanasse Hangen Brustlin, Inc.
7056 US Route 7
North Ferrisburgh, VT 05473
802-425-7799




Job Number: 57528.00
Reviewed By: E.A. FIALA
Date: 04/28/2014

| | | | |
|-------------|---------|-------------|--------------|
| MARK: B-553 | QTY.: 1 | WT.: 13.1 T | VOL.: 6.5 cy |
| MARK: - | QTY.: - | WT.: - | VOL.: - |


| MATERIAL LIST / SOLID SLAB | | | |
|----------------------------|--------|---|-----------|
| ITEM | MARK | DESCRIPTION | QTY./SLAB |
| | | | B-553 - |
| 1 | B-403D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 2 | B-404D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 3 | B-431D | #4 BENT BAR (LEVEL II, DUAL COATED) | 58 |
| 4 | B-432D | #4 BENT BAR (LEVEL II, DUAL COATED) | 58 |
| 5 | B-433D | #4 BENT BAR (LEVEL II, DUAL COATED) | 34 |
| 6 | B-434D | #4 BENT BAR (LEVEL II, DUAL COATED) | 34 |
| 7 | B-435D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 8 | B-436D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 9 | B-437D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 10 | B-438D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 11 | B-439D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 12 | B-440D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 13 | B-441D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 14 | B-442D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 15 | B-443D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 16 | B-444D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 17 | B-445D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 18 | B-446D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 19 | B-447D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 20 | B-448D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 21 | B-449D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 22 | B-450D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 23 | B-451D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 24 | B-452D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 25 | B-501D | #5 BENT BAR (LEVEL II, DUAL COATED) | 12 |
| 26 | B-503D | #5 BENT BAR (LEVEL II, DUAL COATED) | 6 |
| 27 | B-504D | #5 BENT BAR (LEVEL II, DUAL COATED) | 46 |
| 28 | | | |
| 29 | MK-BI | DAYTON C-24 TYPE 4-APR DECK FORM HANGER (GALV.) | 12 |
| 30 | | SET OF DOUBLE 1/2" x 270 KSI STRAND LIFTING LOOPS | 4 |




D END BLOCK REINFORCING PLAN
S2 CURB REINFORCING NOT SHOWN FOR CLARITY 3/4" = 1'-0"



A DIMENSIONAL SECTION
S2 1" = 1'-0"



B REINFORCING SECTION
S2 1" = 1'-0"



C END BLOCK REINF. SECTION
S2 1" = 1'-0"

4-24-14 REVISE REINFORCING

APPROVAL STAMP:

J.P. CARRARA & SONS INC.
Precast & Prestress Manufacturer
2464 GEE STR., MIDDLEBURY, VERMONT 05753 Phone: (802)388-6361 Fax: (802)388-8010

RENAUD BRO., INC.
CONTRACTOR
VERNON, VERMONT


STATE OF VERMONT AGENCY OF TRANSPORTATION
COUNTY OF WINDHAM

DATE: MAR. 24, 2014
SCALE: NOTED


TOWN OF BRATTLEBORO
TH 12, CLASS III (LOCAL ROAD) OVER HALLADAY BROOK
BRIDGE NO.: 7 PROJECT NO.: BRO 1442(35)

CHKD: M.D. DFTM: B.L.
JOB NO: 23424-014

PRESTRESSED SOLID SLAB DETAILS
DWG. NO: S2



1 DIMENSIONAL PLAN VIEW IN FORM
S3
1/4" = 1'-0"



2 REINFORCING PLAN VIEW IN FORM
S3
1/4" = 1'-0"

SHOP NOTE:
ADJUST REINFORCING AS REQUIRED
TO CLEAR INSERTS, SLEEVES, ETC.

Vermont Agency of Transportation
RECEIVED

CK'D BY MJC OK'D BY TAS

April 24, 2014

RESUBMIT No Approved AsNoted
BY M. J. Chenette DATE 04/29/2014

SHOP DRAWING REVIEW

REVIEWED AS REQUIRED BY THE CONSTRUCTION CONTRACT DOCUMENTS AND APPROVED, BUT ONLY FOR CONFORMANCE TO THE DESIGN CONCEPT OF THE WORK, AND SUBJECT TO FURTHER LIMITATIONS AND REQUIREMENTS CONTAINED IN THE CONSTRUCTION CONTRACT DOCUMENTS.

REJECTED REVISE AND RESUBMIT FURNISH AS CORRECTED


CORRECTIONS OR COMMENTS MADE ON THE SHOP DRAWINGS DURING THIS REVIEW DO NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. THIS CHECK IS ONLY FOR REVIEW OF GENERAL CONFORMANCE WITH THE DESIGN CONCEPT OF THE PROJECT AND GENERAL COMPLIANCE WITH THE INFORMATION GIVEN IN THE CONTRACT DOCUMENTS. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING AND CORRELATING ALL QUANTITIES AND DIMENSIONS, SELECTING FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION, COORDINATING HIS WORK WITH THAT OF ALL OTHER TRADES, AND PERFORMING HIS WORK IN A SAFE AND SATISFACTORY MANNER.

VHB Vanasse Hangen Brustlin, Inc.
7056 US Route 7
North Ferrisburgh, VT 05473
802.425.7788

Job Number: 57528.00
Reviewed By: E.A. FIALA
Date: 04/28/2014


| | | | | | | | |
|-------|-------|-------|---|------|--------|-------|--------|
| MARK: | B-SS4 | QTY.: | 1 | WT.: | 13.1 T | VOL.: | 6.5 cy |
| MARK: | - | QTY.: | - | WT.: | - | VOL.: | - |

| MATERIAL LIST / SOLID SLAB | | | |
|----------------------------|--------|---|-----------|
| ITEM | MARK | DESCRIPTION | QTY./SLAB |
| | B-SS4 | | - |
| 1 | B-409D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 2 | B-404D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 3 | B-431D | #4 BENT BAR (LEVEL II, DUAL COATED) | 58 |
| 4 | B-432D | #4 BENT BAR (LEVEL II, DUAL COATED) | 58 |
| 5 | B-433D | #4 BENT BAR (LEVEL II, DUAL COATED) | 34 |
| 6 | B-434D | #4 BENT BAR (LEVEL II, DUAL COATED) | 34 |
| 7 | B-495D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 8 | B-436D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 9 | B-437D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 10 | B-498D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 11 | B-439D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 12 | B-440D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 13 | B-441D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 14 | B-442D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 15 | B-443D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 16 | B-444D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 17 | B-445D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 18 | B-446D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 19 | B-447D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 20 | B-448D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 21 | B-449D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 22 | B-450D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 23 | B-451D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 24 | B-452D | #4 BENT BAR (LEVEL II, DUAL COATED) | 2 |
| 25 | B-501D | #5 BENT BAR (LEVEL II, DUAL COATED) | 12 |
| 26 | B-503D | #5 BENT BAR (LEVEL II, DUAL COATED) | 6 |
| 27 | B-504D | #5 BENT BAR (LEVEL II, DUAL COATED) | 47 |
| 28 | | | |
| 29 | PK-BI | DAYTON C-24 TYPE 4-APR DECK FORM HANGER (GALV.) | 12 |
| 30 | | SET OF DOUBLE 1/2" x 270 KSI STRAND LIFTING LOOPS | 4 |



D END BLOCK REINFORCING PLAN
S3
3/4" = 1'-0"


this is drawn showing interference with the post tension duct. that 6" space will be reduced to probably 4" or less. and the upper 3" spacing to the next might be 1" or slightly greater after shifting this stirrup more toward center of beam.




DETAIL - "A"
3" = 1'-0"

DETAIL - "B"
1 1/2" = 1'-0"


DETAIL - "C"
1 1/2" = 1'-0"




DETENSING SCHEDULE
N.T.S.



A DIMENSIONAL SECTION
S3
1" = 1'-0"



B REINFORCING SECTION
S3
1" = 1'-0"



C END BLOCK REINFORCING SECTION
S3
1" = 1'-0"

4-24-14 REVISE REINFORCING

APPROVAL STAMP:

J.P. CARRARA & SONS INC.
Precast & Prestress Manufacturer
2464 OSE STR., MIDDLEBURY, VERMONT 05753 Phone: (802)388-6361 Fax: (802)388-9010

RENAUD BRO., INC.
CONTRACTOR
VERNON, VERMONT

DATE: MAR. 24, 2014
SCALE: NOTED


STATE OF VERMONT AGENCY OF TRANSPORTATION
COUNTY OF WINDHAM

TH 12, CLASS III (LOCAL ROAD) OVER HALLADAY BROOK
BRIDGE NO.: 7 PROJECT NO.: BR0 1442(35)


TOWN OF BRATTLEBORO
CHKD: M.D. DFTM: B.L.

JOB NO.: 23424-014

PRESTRESSED SOLID SLAB DETAILS
DWG. NO: S3



| MISCELLANEOUS MATERIALS | | | | |
|-------------------------|-------|------|--|-------------------------------------|
| ITEM | MARK | QTY. | DESCRIPTION | REMARKS |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | EM-B1 | 36 | E 3/4" x 5" x 5" W/ 1 1/8" HOLE (GALV.) (ASTM A-36) | FOR ERECTION; SEE DETAIL THIS SHEET |
| 5 | EM-B2 | 36 | 1" HEAVY HEX NUT DOMESTIC (A194-22) (GALV.) & DOMESTIC STRUCTURAL WASHER (F436 T1) (GALV.) | FOR ERECTION |
| 6 | EM-B3 | 6 | 1" x 6'-5 3/4" THREADED ROD (A-449) (H.D. GALV.) | FOR ERECTION |
| 7 | EM-B4 | 12 | 1" x 7'-5" THREADED ROD (A-449) (H.D. GALV.) | FOR ERECTION |
| 8 | | 18 | COMPRESSIBLE SEALER SELF ADHESIVE | FOR ERECTION |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | MK-B1 | 24 | DAYTON C-24 TYPE 4-APR DECK FORM HANGER (GALV.) | |
| 16 | | 28 | SET OF DOUBLE 1/2" x 270 KSI STRAND LIFTING LOOPS | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |



Vermont Agency of Transportation
RECEIVED
CK'D BY MJC OK'D BY TAS
April 24, 2014
RESUBMIT No Approved AsNoted
BY M. J. Chenette DATE 04/29/2014

SHOP DRAWING REVIEW

REVIEWED AS REQUIRED BY THE CONSTRUCTION CONTRACT DOCUMENTS AND APPROVED, BUT ONLY FOR CONFORMANCE TO THE DESIGN CONCEPT OF THE WORK, AND SUBJECT TO FURTHER LIMITATIONS AND REQUIREMENTS CONTAINED IN THE CONSTRUCTION CONTRACT DOCUMENTS.

REJECTED REVISE AND RESUBMIT FURNISH AS CORRECTED

CORRECTIONS OR COMMENTS MADE ON THE SHOP DRAWINGS DURING THIS REVIEW DO NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. THIS CHECK IS ONLY FOR REVIEW OF GENERAL CONFORMANCE WITH THE DESIGN CONCEPT OF THE PROJECT AND GENERAL COMPLIANCE WITH THE INFORMATION GIVEN IN THE CONTRACT DOCUMENTS. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING AND CORRELATING ALL QUANTITIES AND DIMENSIONS, SELECTING FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION, COORDINATING HIS WORK WITH THAT OF ALL OTHER TRADES, AND PERFORMING HIS WORK IN A SAFE AND SATISFACTORY MANNER.

Vanasse Hangen Brustlin, Inc. Job Number: 57528.00
7056 US Route 7 North Ferrisburgh, VT 05473 Reviewed by: E.A. FIALA
802-425-7799 Date: 04/28/2014

| | | |
|-----------------|---|--|
| APPROVAL STAMP: | J.P. CARRARA & SONS INC. Precast & Prestress Manufacturer <small>2464 CASE STR., MIDDLEBURY, VERMONT 05753 Phone: (802)388-6361 Fax: (802)388-9010</small> | RENAUD BRO., INC. CONTRACTOR VERNON, VERMONT |
| | STATE OF VERMONT AGENCY OF TRANSPORTATION COUNTY OF WINDHAM | DATE: MAR. 24, 2014 SCALE: NOTED |
| | TOWN OF BRATTLEBORO TH 12, CLASS III (LOCAL ROAD) OVER HALLADAY BROOK BRIDGE NO.: 7 PROJECT NO.: BR 1442(35) | CHKD: M.D. DFTM: B.L. JOB NO: 23424-014 |
| | MATERIALS LIST | DWG. NO: M1 |