

Appendix C: Worst-Case Draft Testing Form { 2020 Version }

WAP Client & Project Information: _____

Blower Door at Energy Audit (CFM50): _____ Blower Door at Energy Audit (ACH50): _____

5 ACH50 in this house = _____(CFM50) / 10 ACH50 in this house = _____(CFM50)

Daily Worst Case Draft Testing is Required Whenever a Site-Built Home is 5 ACH50 or Less & Whenever a Mobile Home is 10 ACH50 or Less

Appliance Name / Description		Appliance Type				Appliance Category				Fuel Type	
		<input type="checkbox"/> Boiler				<input type="checkbox"/> Category 1				<input type="checkbox"/> Oil	
		<input type="checkbox"/> Furnace				<input type="checkbox"/> Category 1 – Induced Draft				<input type="checkbox"/> Kerosene	
		<input type="checkbox"/> Space Heater				<input type="checkbox"/> Category 3				<input type="checkbox"/> Propane	
		<input type="checkbox"/> Water Heater				<input type="checkbox"/> Category 4				<input type="checkbox"/> Natural Gas	

Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0

Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0

Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0

Worst-Case Testing is Not Required for Category 3 & Category 4 Appliances, but a Thorough Evaluation for Spillage is Still Required



Appendix C: Worst-Case Draft Testing Form { 2020 Version }

Daily Worst Case Draft Testing is Required Whenever a Site-Built Home is 5 ACH50 or Less & Whenever a Mobile Home is 10 ACH50 or Less

Appliance Name / Description		Appliance Type					Appliance Category			Fuel Type	
		<input type="checkbox"/> Boiler					<input type="checkbox"/> Category 1			<input type="checkbox"/> Oil	
		<input type="checkbox"/> Furnace					<input type="checkbox"/> Category 1 – Induced Draft			<input type="checkbox"/> Kerosene	
		<input type="checkbox"/> Space Heater					<input type="checkbox"/> Category 3			<input type="checkbox"/> Propane	
		<input type="checkbox"/> Water Heater					<input type="checkbox"/> Category 4			<input type="checkbox"/> Natural Gas	
Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx <input type="checkbox"/> During Wx <input type="checkbox"/> Post-Wx			
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	
Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx <input type="checkbox"/> During Wx <input type="checkbox"/> Post-Wx			
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	
Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx <input type="checkbox"/> During Wx <input type="checkbox"/> Post-Wx			
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	
Test #	Date:	Outdoor Temp:			Person Testing:			<input type="checkbox"/> Pre-Wx <input type="checkbox"/> During Wx <input type="checkbox"/> Post-Wx			
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	

Worst-Case Testing is Not Required for Category 3 & Category 4 Appliances, but a Thorough Evaluation for Spillage is Still Required



Appendix C: Worst-Case Draft Testing Form { 2020 Version }

Daily Worst Case Draft Testing is Required Whenever a Site-Built Home is 5 ACH50 or Less & Whenever a Mobile Home is 10 ACH50 or Less

Appliance Name / Description		Appliance Type				Appliance Category				Fuel Type		
		<input type="checkbox"/> Boiler				<input type="checkbox"/> Category 1				<input type="checkbox"/> Oil		
		<input type="checkbox"/> Furnace				<input type="checkbox"/> Category 1 – Induced Draft				<input type="checkbox"/> Kerosene		
		<input type="checkbox"/> Space Heater				<input type="checkbox"/> Category 3				<input type="checkbox"/> Propane		
		<input type="checkbox"/> Water Heater				<input type="checkbox"/> Category 4				<input type="checkbox"/> Natural Gas		
Test #	Date:	Outdoor Temp:				Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail		
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0		
Test #	Date:	Outdoor Temp:				Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail		
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0		
Test #	Date:	Outdoor Temp:				Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail		
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0		
Test #	Date:	Outdoor Temp:				Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail		
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0		

Worst-Case Testing is Not Required for Category 3 & Category 4 Appliances, but a Thorough Evaluation for Spillage is Still Required



Appendix C: Worst-Case Draft Testing Form { 2020 Version }

Daily Worst Case Draft Testing is Required Whenever a Site-Built Home is 5 ACH50 or Less & Whenever a Mobile Home is 10 ACH50 or Less

Appliance Name / Description		Appliance Type				Appliance Category				Fuel Type	
		<input type="checkbox"/> Boiler				<input type="checkbox"/> Category 1				<input type="checkbox"/> Oil	
		<input type="checkbox"/> Furnace				<input type="checkbox"/> Category 1 – Induced Draft				<input type="checkbox"/> Kerosene	
		<input type="checkbox"/> Space Heater				<input type="checkbox"/> Category 3				<input type="checkbox"/> Propane	
		<input type="checkbox"/> Water Heater				<input type="checkbox"/> Category 4				<input type="checkbox"/> Natural Gas	
Test #	Date:	Outdoor Temp:			Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail	
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	
Test #	Date:	Outdoor Temp:			Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail	
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	
Test #	Date:	Outdoor Temp:			Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail	
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	
Test #	Date:	Outdoor Temp:			Person Testing:				<input type="checkbox"/> Pre-Wx	<input type="checkbox"/> During Wx	<input type="checkbox"/> Post-Wx
Worst-Case CAZ Depressurization:	- 6(+)	- 5	- 4	- 3	- 2	- 1	0	+ 1	+ 2	Spillage Test Result: <input type="checkbox"/> Pass <input type="checkbox"/> Fail	
Worst-Case Draft (Measure in Flue):	- 9(+)	- 8	- 7	- 6	- 5	- 4	- 3	- 2	- 1	0	

Worst-Case Testing is Not Required for Category 3 & Category 4 Appliances, but a Thorough Evaluation for Spillage is Still Required

