



**Deficiencies Noted During Franklin County & Washington County DMT DataMaster Investigation (04/18/2011):**

1. Franklin County Sheriff's Office – Enosburg (102606): TSI resulted in instrument coming back to laboratory for a new power supply. Documentation of calibration & certification after TSI completed was not available.
2. Grand Isle Sheriff's Office (103406): TSI was initiated for instrument reading low simulator concentration. Technician requested that instrument supervisor run an Accuracy & Precision Check with the correct simulator solution information. No documentation that issue was resolved. (Accuracy & Precision Check may be part of on-site DataMaster Supervisor's files.)

**Luce, Edmond**

---

**Subject:** DataMaster Investigation  
**Location:** First Floor Conference Room

**Start:** Tue 8/3/2010 1:15 PM  
**End:** Tue 8/3/2010 1:30 PM

**Recurrence:** (none)

**Meeting Status:** Meeting organizer

**Required Attendees:** Luce, Edmond; Bolduc, Amanda; Richardson, Darcy; Celotti, Stella

Brief meeting to conclude the ethics investigation of the DataMaster Installations in Franklin & Washington County.


---

*ABP*  
8/3/10  
*Darcy*  
8/3/10

**Luce, Edmond**

---

**Subject:** DataMaster Investigation  
**Location:** First Floor Conference Room  
**Start:** Wed 8/4/2010 2:30 PM  
**End:** Wed 8/4/2010 3:00 PM  
**Recurrence:** (none)  
**Meeting Status:** Meeting organizer  
**Required Attendees:** Luce, Edmond; Celotti, Stella; Harnois, Steven

8/4/2010  


Brief meeting to conclude the ethics investigation of the DataMaster Installations in Franklin & Washington County.