

## Drawbaugh, Bob

---

**From:** Harnois, Steven  
**Sent:** Wednesday, September 21, 2005 9:05 AM  
**To:** Drawbaugh, Bob  
**Subject:** DataMaster Replacement

Bob,

You have asked for a list of 20 DataMaster s that I feel need to be replaced. I have looked at three criteria for determining what datamasters should be replaced, the first being age of the DataMaster (s), I picked this criteria because of first in first out thought process. The next Criteria that I looked at was Maintenance, this was done a format of from the hip type thing, Instruments that I seem to have to go visit more then others for maintenance issues, I have tried to remove the simulator, "personal" and other non DataMaster proper issues associated with each. The last is a look at the RPC's and there performance over the past nine RPC cycles, I mathematically removed the average concentration difference and selected 10 high and 10 low with the greatest difference to the mean. Listed below (in no particular order) are the results. I Have on purpose left out the Site Location, as this should not in my eyes be a deciding factor in DataMaster replacement. I am sure you agree that there is still a lot of discussion on how, when and location (s) to be replaced, swapped out or moved.

RPC	Maintenan ce	Age
950159	881109	881109
881332	950180	881111
881328	950153	881112
950164	881346	881113
200075	881343	881115
881350	950182	881199
950169	950178	881200
881342	950166	881327
881354	921146	881328
950175	881471	881329
881467	881354	881330
881348	881350	881331
881112	881347	881332
881343	881345	881333
950157	881342	881334
881344	881112	881335
950180	881113	881337
950168	881115	881338
200157	881328	881339
881346	881331	881342

If you are looking for something different, I may have misunderstood your request, please let me know.

Thanks,

Steve

Steven Harnois  
State of Vermont  
Agency Of Human Services  
Department of Health  
Public Health Electronics Technician  
195 Colchester Avenue  
Burlington, Vermont 05401  
Phone (802) 863 7641  
Fax (802) 863 7632  
E Mail: [Sharnoi@vdh.state.vt.us](mailto:Sharnoi@vdh.state.vt.us)